



SHREE JAGANNATH TEMPLE OFFICE, PURI
NOTICE INVITING TENDER
(ELECTRICAL WORKS)


Bid Identification No. 03/2023 Date : 03-05-2023

The Administrator Shree Jagannath Temple Administration, Puri on behalf of the Shree Jagannath Temple Managing Committee, Puri invites percentage rate bid in prescribed tender schedule for the below mentioned work from the Elevator manufacturers ISI Marked company OTIS, Schneider & Thyssen Krupp. The manufacturers may submit bids for the following work.

Sl. No.	Name of the work	Estimated cost	Cost of bid document + GST (in Rs.)	Security Amount EMD	Period of Completion
1	2	3	4	5	6
1.	Supply, installation, testing & commissioning of (8 person capacity) Elevator with Automatic Rescue Device for G+ 3 structures at Nilachala Bhakta Niwas, Puri.	Rs.12.35,000/-	Rs.6,000/- + GST 18%	1% of the Estimated cost	45days from the date of order.


1. The tender document will be available at the Shree Jagannath Temple office, Puri from Dated 03.05.2023 to Dated ~~18~~ 05.2023 up to 1.00 P.M. on payment of cost of tender document which is non-refundable.
2. Bids are to be received in complete shape duly sealed on or before Date 18.05.23 Time – 3.30p.m. at Shree Jagannath Temple office, Puri. The tender will be opened in presence of the bidder or their authorized representatives on the same date at 4.30p.m.
3. The bidder shall have to deposit 1% of the estimated cost towards EMD in shape of N.S.C/Post office saving bank account/Post office time deposit Account /Kisan Vikash Patra/Bank Guarantee/DD from any nationalized bank in India in favour of Chief Administrator SJTA, Puri, or cash deposit in temple office, as per the Works dept. Memorandum No.1499 /w dt 02.02.2023, Government of Odisha. Bid documents consisting of Plans, specifications, the schedule of quantities and the set of terms and condition of contract and other necessary documents can be seen in the website: - www.jagannatha@nic.in.
4. The bidder or their authorized representatives are requested to attend the tender opening process at the schedule time and place to witness the opening. If the office happens to be closed on the date of opening of the bids as specified, the bids will be opened on the next working day at the same time and venue.
5. Bidders are requested to enclose their valid(a) Authorized Registration certificate (b) I.T. return documents (c) GSTIN Certificate(d) Pan card
6. Other details can be seen in the bidding documents (DTCN).

7. The authority reserves the right to accept or cancel any or all bids without assigning any reason thereof.


Administrator (Dev.)
Shree Jagannath Temple, Puri

Memo No. 5471 /Dt 3.5.2023


Copy submitted to the Collector and Dy. Chief Administrator for kind information.


Administrator (Dev.)
Shree Jagannath Temple, Puri

Memo No. 5472(8) /Dt 3.5.2023

Copy to


- 1) OSD (Works)/Superintending Engineer (works)/ AE Elec. / Y.P Elec. Cons. /
Accounts Section / Assistant Manager (O&M), SJTA, Puri for information and necessary action.
- 2) Public Relation Officer, SJTA for information. He is requested to arrange for
Publication of the Notice on news paper in one Odia daily and one English daily.
- 3) Computer Programmer, SJTA for information. He is requested to upload the Detail
✓ Tender Call Notice (DTCN) in temple web site for wide publication.


Administrator (Dev.)
Shree Jagannath Temple, Puri

Memo No. 5473(3) /Dt 3.5.2023

Copy to

1. M/S OTIS Elevator Company Ind. Ltd. BMC Bhawani Mall, Office No 3, 1st
Floor Block 1&2 Commercial Complex, Saheed Nagar, Bhubaneswar, Odisha 751007.
2. M/S Schneider Ind. Pvt Ltd. Complex, Plot No III, Station Square, Unit No III,
3rd floor, above Punjab National Bank, Bhubaneswar, Odisha -751001.
3. M/S Thyssen Krupp Elevator (India) Pvt.Ltd. Plot no-34, Forest Park, Bhubaneswar,
Odisha-751009.



Administrator (Dev.)
Shree Jagannath Temple, Puri

Shree Jagannath Temple Office, Puri

BOQ of the work "Supply ,Installation ,testing & commissioning of 8 person capacity with Automatic Rescue Device Elevator for G+ 3 structures at Nilachala Bhakta Niwas of Shree Jagannath Temple Administration,Puri .

Sl.No	Description	Unit	QTY	Rate In Rs.	Amount
1	SITC of elevator of 8 persons capacity 1mps speed with S.S body automatic door along with automatic rescue device for G+3 structre (Lift make of OTIS/ Thyssen krupp / schindler , as per direction of Authority .	No	1		

Signature of contractor



Administrator
Shree Jagannath Temple ,Puri


Technical Specification of the work "Supply, installation, testing & commissioning of (8 person capacity) Elevator with Automatic Rescue Device for G+ 3 structures at Nilachala Bhakta Niwas, Puri .

SL No. Specification

- 1 CAPACITY (kgs) : 544 Kg, 8 persons.
- 2 SPEED (mps) : 1 mps
- 3 RISE (m) : 9.7 m
- 4 STOPS : 4 Stops With (all opening on the same side)
- 5 CONTROLLER TYPE : ACD5-MRL/Enta 100 MR
- 6 DRIVE : VF Regenerative (Closed Loop)/ACVVVF
- 7 POWER SUPPLY : 400/415 Volts (3 Phase AC)
- 8 OPERATION : Full collective operation
- 9 CAR GROUP : One car (simplex)
- 10 MACHINE : PM Gearless (Located in shaft on top of guide rails)
- 11 TRACTION MEDIA : Flat Coated Steel Belt
- 12 Car Operating Panel :SL1A-A11
- 13 CAR FINISH : • Rear Mid Panel = Stainless steel framed glass
- 14 • Rear Corner Panels = Stainless steel framed glass
- 15 • Side Mid Panels = Stainless Steel #4(Hairline)
- 16 • Side Corner Panels = Stainless Steel #4(Hairline)
- 17 • Front Panels = Stainless Steel #4(Hairline)
- 18 FALSE CEILING TYPE : CD-42
- 19 FLASE CEILING FINISH : Stainless Steel #4(Hairline)
- 20 VENTILLATION : Cross flow fan
- 21 HAND RAILS : Stainless Steel Mirror Finish Handrails on rear car panels
- 22 FLOORING : Vinyl Tiles
- 23 CAR DOOR FINISH : Stainless Steel #4(Hairline)
- 24 LANDING DOORS FINISH : Stainless Steel #4(Hairline)
- 25 PIT DEPTH : 1650
- 26 OVERHEAD 4600
- 27 HOISTWAY DIMENSIONS(1800 mm W x 2000 mm D)
CAR DIMENSIONS (1100 mm W x 1300 mm D x 2200 mm D)/(1150mmW
x1150mmD x2100mmH)
- 28
- 29 CAR & HOISTWAY DOOR TYPE Central opening (CO) doors
- 30 DOOR OPENING (W x H -mm) 800 mm W x 2000 mm H
- 31 DOOR OPERATOR : DC Door Operator
- 32 COP : COP for stops <= 12 (950mm) in Stainless Steel Mirror Finish
- 33 CAR POSITION INDICATOR Monochrome LCD-Blue Background & White font
- 34 Dot matrix (LED) Scrolling Display
- 35 HALL FIXTURES : O2000
- 36 Flat Type Fixture ,
- 37 HALL FIXTURE FACE PLATE : Stainless Steel #4(Hairline)
- 38 HALL BUTTON ARRANGEMENT
- 39 : LCD Monochrome type
- 40 STANDARD FEATURES : Anti-nuisance Car Call Protection
- 41 Independent Service (for Duplex only)

11

- 42 Overload Device/over load indication with audio visual indication in car pannel.
- 43 Nudging
- 44 Emergency Car Light Unit
- 45 Infrared Curtain Door Protection
- 46 Door Time Protection
- 47 Emergency Alarm Button
- 48 Extra Door Time of Lobby & Parking
- 49 Door Open/Close Button
- 50 Manual Rescue Operation
- 51 Belt Inspection Drive
- 52 Auto Fan Cut Off
- 53 OPTIONS INCLUDED : Grounding Switch,
- 54 Automatic Rescue operation, Voice Synthesizer, Intercom
- 55 Motor over heat protection
- 56 intercome
- 57 Adjustable door open time



3/5/23

Administrator
Shree Jagannath Temple ,Puri