

SHRIEE JAGANNATH TEMPLE OFFICE, PURI NOTICE INVITING TENDER

(ELECTRICAL WORKS)

Bid Identification No. 6908 Date: 30 5 23

The Administrator Shree Jagannath Temple Administration, Puri on behalf of the Shree Jagannath Temple Managing Committee, Puri invites percentage rate bid in prescribed tender schedule for the below mentioned work from the Elevator manufacturers ISI Marked company OTIS, Schneider & Thyssen Krupp. The manufacturers may submit bids for the following work.

Sl. No.	Name of the work	Estimated cost	Cost of bid document + GST (in Rs.)	Security Amount EMD	Period of Completion
1	Supply, installation, testing & commissioning of (8 person capacity) Elevator with Automatic Rescue Device for	3 Rs.12,35,000/-	4 Rs.6,000/- + GST 18%	5 1% of the Estimated cost	6 45days from the date of order.
	G+ 3 structures at Nilachala Bhakta Niwas, Puri.				

- 1. The tender document will be available at the Shree Jagannath Temple office, Puri from Dated 08.06.23 up to 1.00 Pm. on payment of cost of tender document which is non-refundable.
- 2. Bids are to be received in complete shape duly sealed on or before Date. 08.06.23 <u>Time - 5Pm.</u> at Shree Jagannath Temple office, Puri. The tender will be opened in presence of the bidder or their authorized representatives on the same date at 5.30Pm.
- 3. The bidder shall have to deposit 1% of the estimated cost towards EMD in shape of N.S.C/Post office saving bank account/Post office time deposit Account /Kisan Vikash Patra/Bank Guarantee/DD from any nationalized bank in India in favour of Chief Administrator SJTA, Puri, or cash deposit in temple office, as per the Works dept. Memorandum No.1499 /w dt 02.02.2023, Government of Odisha. Bid documents consisting of Plans, specifications, the schedule of quantities and the set of terms and condition of contract and other necessary documents can be seen in the website: www.shreejagannatha.in
- 4. The bidder or their authorized representatives are requested to attend the tender opening process at the schedule time and place to witness the opening. If the office happens to be closed on the date of opening of the bids as specified, the bids will be opened on the next working day at the same time and venue.
- 5. Bidders are requested to enclose their valid(a) Authorized Registration certificate (b) I.T. return documents (c) GSTIN Certificate(d) Pan card
- 6. Other details can be seen in the bidding documents (DTCN).

Cont.....

M

7. The authority reserves the right to accept or cancel any or all bids without assigning any reason thereof. Administrator (Dev.) Shree Jagannath Temple, Puri Memo No. 6929 /Dt 30 5 23 Copy submitted to the Collector -Cum- Dy. Chief Administrator for kind information. Administrator (Dev.) Shree Jagannath Temple, Puri Memo No. 6920 6 /Dt Copy to 1) OSD (Works)/Superintending Engineer (works)/ AE Elec. / Y.P Elec. / Accounts Section / Assistant Manager (O&M), SJTA, Puri for information and necessary action. 2) Public Relation Officer, SJTA for information. He is requested to arrange for Publication of the Notice on news paper in one Odia daily and one local English daily. 3) Computer Programmer, SJTA for information. He is requested to upload the Detail Tender Call Notice (DTCN) in temple web site for wide publication. Administrator (Dev.) Shree Jagannath Temple, Puri Memo No. 6931 30/Dt 30 5 29 Copy to 1. M/S OTIS Elevator Company Ind. Ltd. BMC Bhawani Mall, Office No 3, 1st Floor Block 1&2 Commercial Complex, Saheed Nagar, Bhubaneswar, Odisha 751007. 2. M/S Schneider Ind. Pvt ltd. Complex, Plot No III, Staion Square, Unit No III, 3rd floor, above Punjab National Bank, Bhubaneswar, Odisha -751001. 3. M/S Thyssen Krupp Elevator (India) Pvt.Ltd. Plot no-34, Forest Park, Bhubaneswar,

Odisha-751009.

Administrator (Dev.) Shree Jagannath Temple, Puri Shree Jagannath Temple Office, Puri

OQ of the work "Supply ,Installation ,testing & commissioning of 8 person capacity with itomatic Rescue Device Elevator for G+ 3 structures at Nilachala Bhakta Niwas of Shree Jagannath Temple Administration,Puri .

N. Description	Un	nit QT	Y Rat	te In Rs.	Amount
speed with S.S be	f 8 persons capacity 1mps dy automatic door along with device for G+3 structre (Lift yssen krupp / schindler, as				

Signature of contractor

Administrator Shree Jagannath Temple ,Puri Technical Specification of the work "Supply, installation, testing & commissioning of (8 person capacity) Elevator with Automatic Rescue Device for G+ 3 structures at Nilachala Bhakta Niwas, Puri .

SL No. Specification

- CAPACITY (kgs): 544 Kg, 8 persons.
- SPEED (mps): 1 mps 2
- RISE (m): 9.7 m 3
- STOPS: 4 Stops With (all opening on the same side) 4
- CONTROLLER TYPE: ACD5-MRL/Enta 100 MR 5
- DRIVE: VF Regenerative (Closed Loop)/ACVVVF
- POWER SUPPLY: 400/415 Volts (3 Phase AC)
- OPERATION : Full collective operation 8
- CAR GROUP: One car (simplex) 9
- MACHINE: PM Gearless (Located in shaft on top of guide rails) 10
- TRACTION MEDIA: Flat Coated Steel Belt 11
- Car Operating Panel: SL1A-A11 12
- CAR FINISH: Rear Mid Panel = Stainless steel framed glass 13
- Rear Corner Panels = Stainless steel framed glass
- Side Mid Panels = Stainless Steel #4(Hairline)
- Side Corner Panels = Stainless Steel #4(Hairline) 16
- Front Panels = Stainless Steel #4(Hairline) 17
- 18 FALSE CEILING TYPE: CD-42
- FLASE CEILING FINISH: Stainless Steel #4(Hairline) 19
- 20 VENTILLATION: Cross flow fan
- HAND RAILS: Stainless Steel Mirror Finish Handrails on rear car panels 21
- FLOORING: Vinyl Tiles 22
- CAR DOOR FINISH: Stainless Steel #4(Hairline) 23
- LANDING DOORS FINISH: Stainless Steel #4(Hairline) 24
- PIT DEPTH: 1650 25
- 26 OVERHEAD 4600
- 27 HOISTWAY DIMENSIONS(1800 mm W x 2000 mm D) CAR DIMENSIONS (1100 mm W x 1300 mm D x 2200 mm D)/(1150mmW
- 28 x1150mmD x2100mmH)
- 29 CAR & HOISTWAY DOOR TYPE Central opening (CO) doors
- DOOR OPENING (W x H -mm) 800 mm W x 2000 mm H 30
- DOOR OPERATOR: DC Door Operator 31
- COP: COP for stops <= 12 (950mm) in Stainless Steel Mirror Finish 32
- CAR POSITION INDICATOR Monochrome LCD-Blue Background & White font 33
- Dot matrix (LED) Scrolling Display 34
- HALL FIXTURES: 02000 35
- 36 Flat Type Fixture,
- HALL FIXTURE FACE PLATE: Stainless Steel #4(Hairline) 37
- HALL BUTTON ARRANGEMENT
- 39 : LCD Monochrome type
- 40 STANDARD FEATURES : Anti-nuisance Car Call Protection
- Independent Service (for Duplex only) 41

- Overload Device/over load indiction with audio visual indication in car pannel.
- 43 Nudging
- 44 Emergency Car Light Unit
- 45 Infrared Curtain Door Protection
- 46 Door Time Protection
- 47 Emergency Alarm Button
- 48 Extra Door Time of Lobby & Parking
- 49 Door Open/Close Button
- 50 Manual Rescue Operation
- 51 Belt Inspection Drive
- 52 Auto Fan Cut Off
- 53 OPTIONS INCLUDED : Grounding Switch,
- 54 Automatic Rescue operation, Voice Synthesizer, Intercom
- 55 Motor over heat protection
- 56 intercome
- 57 Adjustable door open time

Administrator

Shree Jagannath Temple ,Puri